

## FDSN StationXML-SEED Converter - Bug #789

### options, arguments

03/08/2016 07:10 AM - Catherine Pequegnat

<b>Status:</b>	Feedback	<b>Start date:</b>	03/08/2016
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Resolution:</b>			
<b>Description</b>			
<p>Hi, below some problems using ~/bin/stationxml-converter-1.0.9.jar My configuration : linux fc23.x86_64, java jre1.8.0_73</p> <p>1) FROM XML to SEED Using stationxml-converter-1.0.8-rc21.jar, i convert station xml file into seed file : cat G1982.AIS.FULL.xml   java -jar ~/bin/stationxml-converter-1.0.8-rc21.jar --seed -o test.seed - (with some warning regarding a ~ .. ) but i got an error with stationxml-converter-1.0.9.jar : cat G1982.AIS.FULL.xml   java -jar ~/bin/stationxml-converter-1.0.9.jar --seed -o test.seed -</p> <p>Error: "-" is not a valid option Usage: java -jar java -jar stationxml-converter.jar [options...] arguments... \ </p> <p>2) USING other options : java -jar ~/bin/stationxml-converter-1.0.9.jar --seed -i G1982.AIS.FULL.xml -o test.seed never ends, no complain</p> <p>Thanks in advance for your feedback Catherine Péquegnat RESIf-DC</p>			

### History

#### #1 - 06/08/2016 03:05 PM - Yazan Suleiman

- Status changed from New to Feedback

This runs in my case. Robert can you please confirm if this is still an issue.

#### #2 - 06/09/2016 09:24 AM - Adam Clark

Email from original author:

Good morning,  
Some more material (test.xml includes UTF8 char)

```
[pequegnat@ist-156-7 tmp]$ java -jar ~/bin/stationxml-converter-1.0.9.jar --sender RESIF --source RESIF --seed -o toto.seed test.xml
```

```
java.net.UnknownHostException: service.iris.edu
    at java.net.AbstractPlainSocketImpl.connect (AbstractPlainSocketImpl.java:184)
    at java.net.SocksSocketImpl.connect (SocksSocketImpl.java:392)
    at java.net.Socket.connect (Socket.java:589)
    at java.net.Socket.connect (Socket.java:538)
    at sun.net.NetworkClient.doConnect (NetworkClient.java:180)
    at sun.net.www.http.HttpClient.openServer (HttpClient.java:432)
    at sun.net.www.http.HttpClient.openServer (HttpClient.java:527)
    at sun.net.www.http.HttpClient.<init> (HttpClient.java:211)
    at sun.net.www.http.HttpClient.New (HttpClient.java:308)
```

```
at sun.net.www.http.HttpClient.New(HttpClient.java:326)
at sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1169)
at sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1105)
at sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:999)
at sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:933)
at edu.iris.dmc.service.BaseService.doVersionCheck(BaseService.java:107)
at edu.iris.dmc.service.BaseService.validateVersion(BaseService.java:60)
at edu.iris.dmc.service.BaseService.validateVersion(BaseService.java:55)
at edu.iris.dmc.service.ServiceUtil.getStationService(ServiceUtil.java:91)
at edu.iris.dmc.service.ServiceUtil.getStationService(ServiceUtil.java:76)
at edu.iris.converter.SeedPrinter.<init>(SeedPrinter.java:75)
at edu.iris.converter.Application.run(Application.java:100)
at org.springframework.boot.SpringApplication.runCommandLineRunners(SpringApplication.java:672)
at org.springframework.boot.SpringApplication.afterRefresh(SpringApplication.java:690)
at org.springframework.boot.SpringApplication.run(SpringApplication.java:321)
at edu.iris.converter.Application.main(Application.java:73)
java.lang.NullPointerException
at edu.iris.converter.SeedPrinter.process(SeedPrinter.java:101)
at edu.iris.converter.Application.run(Application.java:176)
at org.springframework.boot.SpringApplication.runCommandLineRunners(SpringApplication.java:672)
at org.springframework.boot.SpringApplication.afterRefresh(SpringApplication.java:690)
at org.springframework.boot.SpringApplication.run(SpringApplication.java:321)
at edu.iris.converter.Application.main(Application.java:73)
java.lang.NullPointerException[pequegnc@ist-156-7 tmp]$
```

The run never ends.

I tried to unset http\_proxy without more success.

My conf

```
$ java -version
```

```
java version "1.8.0_73"
```

```
Java(TM) SE Runtime Environment (build 1.8.0_73-b02)
```

```
Java HotSpot(TM) 64-Bit Server VM (build 25.73-b02, mixed mode)
```

```
$ uname -a
```

```
Linux ist-156-7 4.4.6-301.fc23.x86_64 #1 SMP Wed Mar 30 16:43:58 UTC 2016 x86_64 x86_64 x86_64 GNU/Linux
```

Thanks in advance

Catherine Péquegnat

**Files**

G1982.AIS.FULL.xml

602 KB

03/08/2016

Catherine Pequegnat